


Price List

BALPLAN
MICROSCOPE

December 27, 1976



Introduction

The Balplan microscope-system offers a wide choice of precision, coordinated modular components and accessories. You can literally design your own microscope from hundreds of combinations to fit your specific needs.

This illustrated price list is designed to help you select the exact model for your application. An easy to use model maker is included for biological and phase contrast models as well as a list of recommended models in major disciplines.

TABLE OF CONTENTS


Recommended Models	1
Model Maker – Biological	2 - 3
Model Maker – Phase Contrast	4 - 5
Model Maker – Biological Conference	6 - 7
Model Maker – Phase Conference	8 - 9
Objectives	10
Nosepieces	10
Eyepieces	11
Eyeguards	11
Measuring & Counting Accessories	11
Heads	12
Multiple Viewing Adapter	12
Dual Viewing Adapter	12
Stages	12
Condensers	13
Illuminators	13
Replacement Lamps	13
Camera Accessories	14
Phase Contrast Accessories	14
Polarized Light Accessories	15
Filters	15
Miscellaneous	15
Recommended Models	16

Recommended Models

Listed here are the most common models for pathology, hematology, bacteriology, research, education, and general laboratory use. If the models listed here do not meet your exact requirements, consult the component and accessory section. You can add or substitute components to meet your needs.

Conference

BR53Z1H (5 Header)



Bacteriology

BRB2M1L
BRB2M1P
BRB3Z1P
BRB3Z1H



BRB2M1P

Asbestos Counting

CRBLB3H



Hematology

CRBHB1H
CRBGS1H



CRBGS1H

Pathology

Dual Viewing

BRD5N1H
BRD7N1H
BSA7N1H
BRC7N1H
BRS7N1H

Triocular

BRT3Z1H
BRT5N1H
BRT7N1H



BRD7N1H

Research

BST5N1H
BST8Z1H
CRTPJ1H



CRTPJ1H

Cytology

BRB9Z1H
BRB9Z1P




BRB9Z1H

Education

University and
Graduate Level





















BRB3Z1P
CRBKT1H
CRBPJ1H
BRB3Z1H



CRBKT1H











Here's How To Make Up Your Own One-Of-A-Kind BALPLAN Microscope

Biological Models

Stand with specified stage and rack and pinion substage	Heads Catalog Number & Description	Nosepiece/Objective Plus Recommended condenser																																																																					
 <p>31-01-50 Stand 31-60-18, Right hand ungraduated mechanical</p> <p>BR</p>	 <p>31-18-77, Binocular</p> <p>B</p>	<p>31-18-66-02 Nosepiece/Objective assembly consisting of: 31-18-66, Triple, with 10X, 31-12-22 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—M</p>  <p>2</p>																																																																					
 <p>31-01-50 Stand 31-60-16, Left hand ungraduated mechanical</p> <p>BL</p>	 <p>31-18-79, Triocular</p> <p>T</p>	<p>31-18-67-03 Nosepiece/Objective assembly consisting of: 31-18-67, Quadruple, with 4X, 31-12-21 10X, 31-12-22 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—Z</p>  <p>3</p>																																																																					
 <p>31-01-50 Stand 31-60-17, Right hand graduated mechanical</p> <p>BS</p>	 <p>31-18-75 Monocular</p> <p>M</p>	<p>31-18-67-04 Nosepiece/Objective assembly consisting of: 31-18-67, Quadruple, with 2.5X, 31-12-20 10X, 31-12-22 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—N</p>  <p>4</p>																																																																					
 <p>31-01-50 Stand 31-60-15, Left hand graduated mechanical</p> <p>BM</p>	<p>31-18-93-03 Equipment consisting of: 31-18-93-03, Dual Viewing Adapter with 31-18-77, 30°; and 31-18-91, 45° Binocular heads</p>  <p>D</p>	<p>31-18-68-05 Nosepiece/Objective assembly consisting of: 31-18-68, Quintuple, with 2.5X, 31-12-20 4X, 31-12-21 10X, 31-12-22 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—N</p>  <p>5</p>																																																																					
 <p>31-01-50 Stand 31-60-12, Plain</p> <p>BP</p>	<p>31-18-93-04 Equipment consisting of: 31-18-93, Dual Viewing Adapter with 31-18-79, Triocular and 31-18-91, 45° Binocular heads</p>  <p>A</p>	<p>31-18-68-07 Nosepiece/Objective assembly consisting of: 31-18-68, Quintuple, with 2.5X, 31-12-20 10X, 31-12-22 20X, 31-12-23 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—N</p>  <p>7</p>																																																																					
 <p>31-01-50 Stand 31-60-19, Glide</p> <p>BG</p>	<p>31-18-85-12 Equipment consisting of: 31-18-85, Multiple Viewing Adapter with two 31-18-77, 30° Binocular heads</p>  <p>C</p>	<p>31-18-68-08 Nosepiece/Objective assembly consisting of: 31-18-68, Quintuple, with 4X, 31-12-21 10X, 31-12-22 20X, 31-12-23 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—Z</p>  <p>8</p>																																																																					
	 <p>31-18-85-02 Equipment consisting of: 31-18-85, Multiple Viewing Adapter with 31-18-79, Triocular and 31-18-77, 30° Binocular heads</p> <p>S</p>	<p>31-18-67-09 Nosepiece/Objective assembly consisting of: 31-18-67 Quadruple Nosepiece with 4X, 31-12-21 10X, 31-12-19 L.w.d. 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—Z</p>  <p>9</p>																																																																					
<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>BR</td> <td>462.00</td> <td>415.80</td> </tr> <tr> <td>BL</td> <td>462.00</td> <td>415.80</td> </tr> <tr> <td>BS</td> <td>503.00</td> <td>452.70</td> </tr> <tr> <td>BM</td> <td>503.00</td> <td>452.70</td> </tr> <tr> <td>BP</td> <td>345.00</td> <td>310.50</td> </tr> <tr> <td>BG</td> <td>373.00</td> <td>335.70</td> </tr> </tbody> </table>	model component	1-4°	5 or more	BR	462.00	415.80	BL	462.00	415.80	BS	503.00	452.70	BM	503.00	452.70	BP	345.00	310.50	BG	373.00	335.70	<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>546.00</td> <td>491.40</td> </tr> <tr> <td>T</td> <td>630.00</td> <td>567.00</td> </tr> <tr> <td>M</td> <td>300.00</td> <td>270.00</td> </tr> <tr> <td>D</td> <td>1430.00</td> <td>1287.00</td> </tr> <tr> <td>A</td> <td>1514.00</td> <td>1362.60</td> </tr> <tr> <td>C</td> <td>1810.00</td> <td>1629.00</td> </tr> <tr> <td>S</td> <td>1894.00</td> <td>1704.60</td> </tr> </tbody> </table>	model component	1-4°	5 or more	B	546.00	491.40	T	630.00	567.00	M	300.00	270.00	D	1430.00	1287.00	A	1514.00	1362.60	C	1810.00	1629.00	S	1894.00	1704.60	<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>376.00</td> <td>338.40</td> </tr> <tr> <td>3</td> <td>444.00</td> <td>399.60</td> </tr> <tr> <td>4</td> <td>495.00</td> <td>445.50</td> </tr> <tr> <td>5</td> <td>570.00</td> <td>513.00</td> </tr> <tr> <td>7</td> <td>608.00</td> <td>547.20</td> </tr> <tr> <td>8</td> <td>557.00</td> <td>501.30</td> </tr> <tr> <td>9</td> <td>492.00</td> <td>442.80</td> </tr> </tbody> </table>	model component	1-4°	5 or more	2	376.00	338.40	3	444.00	399.60	4	495.00	445.50	5	570.00	513.00	7	608.00	547.20	8	557.00	501.30	9	492.00	442.80
model component	1-4°	5 or more																																																																					
BR	462.00	415.80																																																																					
BL	462.00	415.80																																																																					
BS	503.00	452.70																																																																					
BM	503.00	452.70																																																																					
BP	345.00	310.50																																																																					
BG	373.00	335.70																																																																					
model component	1-4°	5 or more																																																																					
B	546.00	491.40																																																																					
T	630.00	567.00																																																																					
M	300.00	270.00																																																																					
D	1430.00	1287.00																																																																					
A	1514.00	1362.60																																																																					
C	1810.00	1629.00																																																																					
S	1894.00	1704.60																																																																					
model component	1-4°	5 or more																																																																					
2	376.00	338.40																																																																					
3	444.00	399.60																																																																					
4	495.00	445.50																																																																					
5	570.00	513.00																																																																					
7	608.00	547.20																																																																					
8	557.00	501.30																																																																					
9	492.00	442.80																																																																					

*Suggested List Price

Model Maker

Substage Condensers with Iris Diaphragm	Eyeieces—Pairs †	Illuminators
 <p>31-55-13, 3 Element Aplanatic</p> <p>M</p>	 <p>31-15-61-02, 10X wide field, with 31-50-20 eyeguards</p> <p>1</p>	 <p>31-50-66, Mirror, plano-concave, with mount</p> <p>M</p>
 <p>31-55-15, 4 Element Aplanatic with Flip-out Hemispheric lens</p> <p>N</p>	 <p>31-15-62-02, 15X wide field</p> <p>2</p>	 <p>31-32-12, Optilume, 3-wire ground</p> <p>L</p>
 <p>31-55-13, 3 Element Aplanatic, with 31-55-14, Flip-in lens</p> <p>Z</p>		 <p>31-32-13, Professional Optilume; with 4-step in-base transformer; 3-wire; filter holder, and blue filter</p> <p>P</p>
 <p>31-55-12, Abbe. Recommended for use with 4X through 100X objectives and 31-32-12 Optilume, only</p> <p>L</p>		 <p>31-32-14, Hi-Intensity; with 4-step, in-base transformer; iris diaphragm; flip-in neutral density filter; 3-wire; filter holder, and separate blue filter</p> <p>H</p>

How to use model makers

You pick out the stage, head, nosepiece, objectives, condenser, eyepieces, and illuminator which will make up an instrument to satisfy your intended use. Write down the letters and numbers that indicate your choices. If there is a column in which no item is required, place an "X" in that column. You will now have a seven-digit, specialized model number. For example: BRT7N1H or CRBHB1H.




















After selecting your model, determine the price by checking the list of recommended models. If you don't find your exact model, use the component prices at the bottom of each model maker page or the prices in the component section of the price list.

model component	1-4°	5 or more	model component	1-4°	5 or more	model component	1-4°	5 or more
M	68.00	61.20	†1	84.00	75.60	M	41.00	36.90
N	106.00	95.40	†2	108.00	97.20	L	30.00	27.00
Z	90.00	81.00				P	99.00	89.10
L	68.00	61.20				H	232.00	208.80

†For dual and multiple viewing models, double the price of the eyepiece chosen. For monocular models, single eyepiece price applies which is 1/2 of the price shown.












*Suggested List Price

Phase Contrast Models

Stand. Cat. No. S-31-01-50, with specified stage and rack and pinion substage	Heads Catalog Number & Description	Nosepiece/Objective Combinations—Plus Recommended condenser																																																																		
 <p>31-01-50 Stand 31-60-18, Right hand ungraduated mechanical</p> <p>CR</p>	 <p>31-18-77 Binocular</p> <p>B</p>	<p>31-18-66-12 Nosepiece/Objective assembly consisting of: Triple (31-18-66) with 10X, 31-12-40 40X, 31-12-42 100X, 31-12-43-02 All are phase contrast, Recommended Condensers—S,B,T,F</p>  <p>G</p>																																																																		
 <p>31-01-50 Stand 31-60-16, Left hand ungraduated mechanical</p> <p>CL</p>	 <p>31-18-79, Triocular</p> <p>T</p>	<p>31-18-66-13 Nosepiece/Objective assembly consisting of: Triple (31-18-66) with 10X, b.f., 31-12-22 40X, phase, 31-12-42 100X, b.f., 31-12-26-02 Recommended Condensers—S,B,T,F</p>  <p>H</p>																																																																		
 <p>31-01-50 Stand 31-60-17, Right hand graduated mechanical</p> <p>CS</p>	 <p>31-18-75 Monocular</p> <p>M</p>	<p>31-18-67-14 Nosepiece/Objective assembly consisting of: Quadruple (31-18-67) with 10X, 31-12-40 20X, 31-12-41 40X, 31-12-42 100X, 31-12-43-02 All are phase contrast Recommended Condensers—S, B, T, F</p>  <p>K</p>																																																																		
 <p>31-01-50 Stand 31-60-15, Left hand graduated mechanical</p> <p>CM</p>	<p>31-18-93-03 Equipment consisting of: 31-18-93-03, Dual Viewing Adapter with 31-18-77, 30°; and 31-18-91, 45° Binocular heads</p>  <p>D</p>	<p>31-18-67-15 Nosepiece/Objective assembly consisting of: Quadruple (31-18-67) with 4X, b.f., 31-12-21 10X, b.f., 31-12-22 40X, phase, 31-12-42 100X, b.f., 31-12-26-02 Recommended Condensers—S, B, C, J</p>  <p>L</p>																																																																		
 <p>31-01-50 Stand 31-60-12, Plain</p> <p>CP</p>	<p>31-18-93-04 Equipment consisting of: 31-18-93, Dual Viewing Adapter with 31-18-79, Triocular and 31-18-91, 45° Binocular heads</p>  <p>A</p>	<p>31-18-67-16 Nosepiece/Objective assembly consisting of: Quadruple (31-18-67) with 10X, b.f., 31-12-22 20X, phase, 31-12-41 40X, phase, 31-12-42 100X, b.f., 31-12-26-02 Recommended Condensers—S, B, T, F</p>  <p>M</p>																																																																		
 <p>31-01-50 Stand 31-60-19, Glide</p> <p>CG</p>	<p>31-18-85-12 Equipment consisting of: 31-18-85, Multiple Viewing Adapter with two 31-18-77, 30° Binocular heads</p>  <p>C</p>	<p>31-18-68-17 Nosepiece/Objective assembly consisting of: Quintuple (31-18-68) with 4X, b.f., 31-12-21 10X, phase, 31-12-40 20X, phase, 31-12-41 40X, phase, 31-12-42 100X, phase, 31-12-43-02 Recommended Condensers—S, B, C, J</p>  <p>P</p>																																																																		
	<p>31-18-85-02 Equipment consisting of: 31-18-85, Multiple Viewing Adapter with 31-18-79, Triocular and 31-18-77, 30° Binocular heads</p>  <p>S</p>																																																																			
<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr><td>CR</td><td>462.00</td><td>415.80</td></tr> <tr><td>CL</td><td>462.00</td><td>415.80</td></tr> <tr><td>CS</td><td>503.00</td><td>452.70</td></tr> <tr><td>CM</td><td>503.00</td><td>452.70</td></tr> <tr><td>CP</td><td>345.00</td><td>310.50</td></tr> <tr><td>CG</td><td>373.00</td><td>335.70</td></tr> </tbody> </table>	model component	1-4°	5 or more	CR	462.00	415.80	CL	462.00	415.80	CS	503.00	452.70	CM	503.00	452.70	CP	345.00	310.50	CG	373.00	335.70	<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr><td>B</td><td>546.00</td><td>491.40</td></tr> <tr><td>T</td><td>630.00</td><td>567.00</td></tr> <tr><td>M</td><td>300.00</td><td>270.00</td></tr> <tr><td>D</td><td>1430.00</td><td>1287.00</td></tr> <tr><td>A</td><td>1514.00</td><td>1362.60</td></tr> <tr><td>C</td><td>1810.00</td><td>1629.00</td></tr> <tr><td>S</td><td>1894.00</td><td>1704.60</td></tr> </tbody> </table>	model component	1-4°	5 or more	B	546.00	491.40	T	630.00	567.00	M	300.00	270.00	D	1430.00	1287.00	A	1514.00	1362.60	C	1810.00	1629.00	S	1894.00	1704.60	<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr><td>G</td><td>636.00</td><td>572.40</td></tr> <tr><td>H</td><td>462.00</td><td>415.80</td></tr> <tr><td>K</td><td>833.00</td><td>749.70</td></tr> <tr><td>L</td><td>530.00</td><td>477.00</td></tr> <tr><td>M</td><td>659.00</td><td>593.60</td></tr> <tr><td>P</td><td>908.00</td><td>817.20</td></tr> </tbody> </table>	model component	1-4°	5 or more	G	636.00	572.40	H	462.00	415.80	K	833.00	749.70	L	530.00	477.00	M	659.00	593.60	P	908.00	817.20
model component	1-4°	5 or more																																																																		
CR	462.00	415.80																																																																		
CL	462.00	415.80																																																																		
CS	503.00	452.70																																																																		
CM	503.00	452.70																																																																		
CP	345.00	310.50																																																																		
CG	373.00	335.70																																																																		
model component	1-4°	5 or more																																																																		
B	546.00	491.40																																																																		
T	630.00	567.00																																																																		
M	300.00	270.00																																																																		
D	1430.00	1287.00																																																																		
A	1514.00	1362.60																																																																		
C	1810.00	1629.00																																																																		
S	1894.00	1704.60																																																																		
model component	1-4°	5 or more																																																																		
G	636.00	572.40																																																																		
H	462.00	415.80																																																																		
K	833.00	749.70																																																																		
L	530.00	477.00																																																																		
M	659.00	593.60																																																																		
P	908.00	817.20																																																																		

*Suggested List Price

Model Maker

Substage Condensers with Iris Diaphragm	Eyepieces—Pairs†	Illuminators
 <p>†31-55-32, Long Working Distance with 31-57-85, Bertrand Lens and 31-35-61 Green Filter</p>	 <p>31-15-61-02, 10X wide field, with 31-50-20 eyeguards</p>	 <p>31-50-66, plano-concave, with mount</p>
 <p>†31-55-32, Long Working Distance with 31-50-78, Focusing Telescope and 31-35-61 Green Filter</p>	 <p>31-15-62-02, 15X wide field</p>	 <p>31-32-14, Hi-Intensity; with 4-step, in-base transformer; iris diaphragm; flip-in neutral density filter; 3-wire; filter holder, and separate blue filter</p>
 <p>31-55-31, Turret type with both short and medium working distance elements; and 31-57-85, Bertrand Lens and 31-35-61 Green Filter</p>	 <p>31-15-61-03, 10X wide field, with 31-16-76 Porton Reticle installed and 31-50-20 eyeguards</p>	
 <p>31-55-31, Turret type with both short and medium working distance elements; and 31-50-78, Focusing Telescope and 31-35-61 Green Filter</p>		
 <p>31-55-31, Turret type with both short and medium working distance elements; 31-55-24, Flip-in Lens; 31-57-85, Bertrand Lens and 31-35-61 Green Filter</p>		
 <p>31-55-31, Turret type with both short and medium working distance elements; 31-55-24, Flip-in Lens; 31-50-78, Focusing Telescope and 31-35-61 Green Filter</p>		
<p>†NOTE: Only those annuli for the Long Working Distance Condenser which correspond to the Phase Objectives being ordered will be supplied. Add \$22 for each annuli.</p>		

How to use model makers

You pick out the stage, head, nosepiece, objectives, condenser, eyepieces, and illuminator which will make up an instrument to satisfy your intended use. Write down the letters and numbers that indicate your choices. If there is a column in which no item is required, place an "X" in that column. You will now have a seven-digit, specialized model number. For example: BRT7N1H or CRBHB1H.




















After selecting your model, determine the price by checking the list of recommended models. If you don't find your exact model, use the component prices at the bottom of each model maker page or the prices in the component section of the price list.

model component	1-4°	5 or more	model component	1-4°	5 or more	model component	1-4°	5 or more
†S	441.00	396.90	†1	84.00	75.60	M	41.00	36.90
†B	315.00	283.50	†2	108.00	97.20			
T	563.00	506.70	†3	130.00	117.00	H	232.00	208.80
F	437.00	393.30						
J	585.00	526.50						
C	459.00	413.00						

†For dual and multiple viewing models, double the price of the eyepiece chosen. For monocular models, single eyepiece price applies which is 1/2 of the price shown.








*Suggested List Price

Biological Models for Multiple Viewing

Stand. Cat. No. 31-01-50, with specified stage and rack and pinion substage	Heads Catalog Number & Description	Nosepiece/Objective Combinations—Plus Recommended condenser			
31-01-50 Stand 31-60-18, Right hand ungraduated mechanical  BR	31-18-85-05 Equipment consisting of:  31-18-85 MVA w/pointer 31-18-84 MVA w/o pointer 2 each 31-18-83 DVA w/o pointer 2 each 31-18-77 30° Binocular Head 2 each 31-18-91 45° Binocular Head 1 each 31-18-79 30° Triocular Head 5	31-18-66-02 Nosepiece Objective assembly consisting of:  31-18-66, Triple, with 10X, 31-12-22 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—M 2			
31-01-50 Stand 31-60-16, Left hand ungraduated mechanical  BL	31-18-85-04 Equipment consisting of:  31-18-85 MVA w/pointer 31-18-84 MVA w/o pointer 31-18-83 DVA w/o pointer 2 each 31-18-77 30° Binocular Head 1 31-18-91 45° Binocular Head 1 31-18-79 30° Triocular Head 4	31-18-67-03 Nosepiece Objective assembly consisting of:  31-18-67, Quadruple, with 4X, 31-12-21 10X, 31-12-22 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—Z 3			
31-01-50 Stand 31-60-17, Right hand graduated mechanical  BS	31-18-85-03 Equipment consisting of:  31-18-85 MVA w/pointer 31-18-84 MVA w/o pointer 2 each 31-18-77 30° Binocular Head 1 each 31-18-79 30° Triocular Head 3	31-18-67-04 Nosepiece Objective assembly consisting of:  31-18-67, Quadruple, with 2.5X, 31-12-20 10X, 31-12-22 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—N 4			
31-01-50 Stand 31-60-15, Left hand graduated mechanical  BM	31-18-85-13 Equipment consisting of:  31-18-85 MVA w/pointer 31-18-84 MVA w/o pointer 2 each 31-18-77 30° Binocular Head 31-18-91 45° Binocular Head E	31-18-68-05 Nosepiece Objective assembly consisting of:  31-18-68, Quintuple, with 2.5X, 31-12-20 4X, 31-12-21 10X, 31-12-22 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—N 5			
31-01-50 Stand 31-60-12, Plain  BP	31-18-85-12 Equipment consisting of:  31-18-85, Multiple Viewing Adapter with two 31-18-77, 30° Binocular heads C	31-18-68-07 Nosepiece Objective assembly consisting of:  31-18-68, Quintuple, with 2.5X, 31-12-20 10X, 31-12-22 20X, 31-12-23 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—N 7			
31-01-50 Stand 31-60-19, Glide  BG	31-18-85-02 Equipment consisting of:  31-18-85, Multiple Viewing Adapter with 31-18-79, Triocular and 31-18-77, 30° Binocular heads S	31-18-68-08 Nosepiece Objective assembly consisting of:  31-18-68, Quintuple, with 4X, 31-12-21 10X, 31-12-22 20X, 31-12-23 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—Z 8			
		31-18-67-09 Nosepiece Objective assembly consisting of:  31-18-67, Quadruple Nosepiece with 4X, 31-12-21 10X, 31-12-19 L.w.d. 40X, 31-12-24 100X, 31-12-26-02 Recommended Condenser—Z 9			
model component	1-4* 5 or more	model component	1-4* 5 or more	model component	1-4* 5 or more
BR	462.00 415.80	5	4731.00 4257.90	2	376.00 338.40
BL	462.00 415.80	4	3912.00 3520.80	3	444.00 399.60
BS	503.00 452.70	3	3093.00 2783.70	4	495.00 445.50
BM	503.00 452.70	E	2629.00 2366.10	5	570.00 513.00
BP		C	1810.00 1629.00	7	608.00 547.20
BG		S	1894.00 1704.60	8	557.00 501.30
				9	492.00 442.80

*Suggested List Price

Model Maker

Substage Condensers with Iris Diaphragm	Eyepieces—Pairs†	Illuminators
 <p>31-55-13, 3 Element Aplanatic</p> <p>M</p>	 <p>31-15-61-02, 10X wide field, with 31-50-20 eyeguards</p> <p>1</p>	 <p>31-32-14, Hi-Intensity; with 4-step, in-base transformer; iris diaphragm; flip-in neutral density filter; 3-wire; filter holder, and separate blue filter</p> <p>H</p>
 <p>31-55-15, 4 Element Aplanatic with Flip-out Hemispheric lens</p> <p>N</p>	 <p>31-15-62-02, 15X wide field</p> <p>2</p>	
 <p>31-55-13, 3 Element Aplanatic, with 31-55-14, Flip-in lens</p> <p>Z</p>		
 <p>31-55-12, Abbe. Recommended for use with 4X through 100X objectives and 31-32-12 Optilume, only</p> <p>L</p>		

How to use model makers

You pick out the stage, head, nosepiece, objectives, condenser, eyepieces, and illuminator which will make up an instrument to satisfy your intended use. Write down the letters and numbers that indicate your choices. If there is a column in which no item is required, place an "X" in that column. You will now have a seven-digit, specialized model number. For example: BRT7N1H or CRBHB1H.

















After selecting your model, determine the price by checking the list of recommended models. If you don't find your exact model, use the component prices at the bottom of each model maker page or the prices in the component section of the price list.

model component	1-4°	5 or more	model component	1-4°	5 or more	model component	1-4°	5 or more
M	68.00	61.20	†1	84.00	75.60	H	232.00	208.80
N	106.00	95.40	†2	108.00	97.20			
Z	90.00	81.00						
L	68.00	61.20						

†For dual and multiple viewing models, add the appropriate number of eyepiece pairs to match number of heads.











*Suggested List Price

Phase Contrast Models for Multiple Viewing

Stand. Cat. No. 31-01-50, with specified stage and rack and pinion substage	Heads Catalog Number & Description	Nosepiece/Objective Combinations—Plus Recommended condenser																																																									
 <p>31-01-50 Stand 31-60-18, Right hand ungraduated mechanical</p> <p>CR</p>	 <p>31-18-85-03 Equipment consisting of: 31-18-85 MVA w/pointer 31-18-84 MVA w/o pointer 2 each 31-18-77 30° Binocular Head 1 each 31-18-79 30° Triocular Head</p> <p>3</p>	<p>31-18-66-12 Nosepiece Objective assembly consisting of: Triple (31-18-66) with 10X, 31-12-40 40X, 31-12-42 100X, 31-12-43-02 All are phase contrast Recommended Condensers— S, B, T, F</p>  <p>G</p>																																																									
 <p>31-01-50 Stand 31-60-16, Left hand ungraduated mechanical</p> <p>CL</p>	 <p>31-18-85-13 Equipment consisting of: 31-18-85 MVA w/pointer 31-18-83 DVA w/o pointer 2 each 31-18-77 30° Binocular Head 31-18-91-45° Binocular Head</p> <p>E</p>	<p>31-18-66-13 Nosepiece Objective assembly consisting of: Triple (31-18-66) with 10X, b.f., 31-12-22 40X, phase, 31-12-42 100X, b.f., 31-12-26-02 Recommended Condensers— S, B, T, F</p>  <p>H</p>																																																									
 <p>31-01-50 Stand 31-60-17, right hand graduated mechanical</p> <p>CS</p>	 <p>31-18-85-12 Equipment consisting of: 31-18-85, Multiple Viewing Adapter with two 31-18-77, 30° Binocular heads</p> <p>C</p>	<p>31-18-67-14 Nosepiece Objective assembly consisting of: Quadruple (31-18-67) with 10X, 31-12-40 20X, 31-12-41 40X, 31-12-42 100X, 31-12-43-02 All are phase contrast Recommended Condensers—S, B, T, F</p>  <p>K</p>																																																									
 <p>31-01-50 Stand 31-60-15, Left hand graduated mechanical</p> <p>CM</p>	 <p>31-18-85-02 Equipment consisting of: 31-18-85, Multiple Viewing Adapter with 31-18-79, Triocular and 31-18-77, 30° Binocular heads</p> <p>S</p>	<p>31-18-67-15 Nosepiece Objective assembly consisting of: Quadruple (31-18-67) with 4X, b.f., 31-12-21 10X, b.f., 31-12-22 40X, phase, 31-12-42 100X, b.f., 31-12-26-02 Recommended Condensers— S, B, C, J</p>  <p>L</p>																																																									
 <p>31-01-50 Stand 31-60-12, Plain</p> <p>CP</p>		<p>31-18-67-16 Nosepiece Objective assembly consisting of: Quadruple (31-18-67) with 10X, b.f., 31-12-22 20X, phase 31-12-41 40X, phase, 31-12-42 100X, b.f., 31-12-26-02 Recommended Condensers— S, B, T, F</p>  <p>M</p>																																																									
 <p>31-01-50 Stand 31-60-19, Glide</p> <p>CG</p>		<p>31-18-68-17 Nosepiece Objective assembly consisting of: Quintuple (31-18-68) with 4X, b.f., 31-12-21 10X, phase, 31-12-40 20X, phase, 31-12-41 40X, phase, 31-12-42 100X, phase, 31-12-43-02 Recommended Condensers—S, B, C, J</p>  <p>P</p>																																																									
<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>CR</td> <td>462.00</td> <td>415.80</td> </tr> <tr> <td>CL</td> <td>462.00</td> <td>415.80</td> </tr> <tr> <td>CS</td> <td>503.00</td> <td>452.70</td> </tr> <tr> <td>CM</td> <td>503.00</td> <td>452.70</td> </tr> <tr> <td>CP</td> <td>345.00</td> <td>310.50</td> </tr> <tr> <td>CG</td> <td>373.00</td> <td>335.70</td> </tr> </tbody> </table>	model component	1-4°	5 or more	CR	462.00	415.80	CL	462.00	415.80	CS	503.00	452.70	CM	503.00	452.70	CP	345.00	310.50	CG	373.00	335.70	<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>3093.00</td> <td>2783.70</td> </tr> <tr> <td>E</td> <td>2629.00</td> <td>2366.10</td> </tr> <tr> <td>C</td> <td>1810.00</td> <td>1629.00</td> </tr> <tr> <td>S</td> <td>1894.00</td> <td>1704.60</td> </tr> </tbody> </table>	model component	1-4°	5 or more	3	3093.00	2783.70	E	2629.00	2366.10	C	1810.00	1629.00	S	1894.00	1704.60	<table border="1"> <thead> <tr> <th>model component</th> <th>1-4°</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>G</td> <td>636.00</td> <td>572.40</td> </tr> <tr> <td>H</td> <td>462.00</td> <td>415.80</td> </tr> <tr> <td>K</td> <td>833.00</td> <td>749.70</td> </tr> <tr> <td>L</td> <td>530.00</td> <td>477.00</td> </tr> <tr> <td>M</td> <td>659.00</td> <td>593.10</td> </tr> <tr> <td>P</td> <td>908.00</td> <td>817.20</td> </tr> </tbody> </table>	model component	1-4°	5 or more	G	636.00	572.40	H	462.00	415.80	K	833.00	749.70	L	530.00	477.00	M	659.00	593.10	P	908.00	817.20
model component	1-4°	5 or more																																																									
CR	462.00	415.80																																																									
CL	462.00	415.80																																																									
CS	503.00	452.70																																																									
CM	503.00	452.70																																																									
CP	345.00	310.50																																																									
CG	373.00	335.70																																																									
model component	1-4°	5 or more																																																									
3	3093.00	2783.70																																																									
E	2629.00	2366.10																																																									
C	1810.00	1629.00																																																									
S	1894.00	1704.60																																																									
model component	1-4°	5 or more																																																									
G	636.00	572.40																																																									
H	462.00	415.80																																																									
K	833.00	749.70																																																									
L	530.00	477.00																																																									
M	659.00	593.10																																																									
P	908.00	817.20																																																									

*Suggested List Price

Model Maker

Substage Condensers with Iris Diaphragm	Eyepieces—Pairs †	Illuminators																																							
†31-55-32, Long Working Distance with 31-57-85, Bertrand Lens and 31-35-61 Green Filter  S	31-15-61-02, 10X wide field, with 31-50-20 eyeguards  1	31-32-14, Hi-Intensity; with 4-step, in-base transformer; iris diaphragm; flip-in neutral density filter; 3-wire; filter holder, and separate blue filter  H																																							
†31-55-32, Long Working Distance with 31-50-78, Focusing Telescope and 31-35-61 Green Filter  B	31-15-62-02, 15X wide field  2																																								
31-55-31, Turret type with both short and medium working distance elements; and 31-57-85, Bertrand Lens and 31-35-61 Green Filter  T	31-15-61-03, 10X wide field, with 31-16-76 Porton Reticle installed and 31-50-20 eyeguards  3																																								
31-55-31, Turret type with both short and medium working distance elements; and 31-50-78, Focusing Telescope and 31-35-61 Green Filter  F	<div data-bbox="787 1045 1344 1092" data-label="Section-Header"> <h2>How to use model makers</h2> </div> <div data-bbox="683 1108 1451 1268" data-label="Text"> <p>You pick out the stage, head, nosepiece, objectives, condenser, eyepieces, and illuminator which will make up an instrument to satisfy your intended use. Write down the letters and numbers that indicate your choices. If there is a column in which no item is required, place an "X" in that column. You will now have a seven-digit, specialized model number. For example: BRT7N1H or CRBHB1H.</p> </div> <div data-bbox="683 1285 1451 1394" data-label="Text"> <p>After selecting your model, determine the price by checking the list of recommended models. If you don't find your exact model, use the component prices at the bottom of each model maker page or the prices in the component section of the price list.</p> </div>																																								
31-55-31, Turret type with both short and medium working distance elements; 31-55-24, Flip-in Lens; 31-57-85, Bertrand Lens and 31-35-61 Green Filter  J																																									
31-55-31, Turret type with both short and medium working distance elements; 31-55-24, Flip-in Lens; 31-50-78, Focusing Telescope and 31-35-61 Green Filter  C																																									
†NOTE: Only those annuli for the Long Working Distance Condenser which correspond to the Phase Objectives being ordered will be supplied. Add \$22 for each annuli.																																									
<table border="1"> <thead> <tr> <th>model component</th> <th>1-4*</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>†S</td> <td>441.00</td> <td>396.90</td> </tr> <tr> <td>†B</td> <td>315.00</td> <td>283.50</td> </tr> <tr> <td>T</td> <td>563.00</td> <td>506.70</td> </tr> <tr> <td>F</td> <td>437.00</td> <td>393.30</td> </tr> <tr> <td>J</td> <td>585.00</td> <td>526.50</td> </tr> <tr> <td>C</td> <td>459.00</td> <td>413.10</td> </tr> </tbody> </table>		model component	1-4*	5 or more	†S	441.00	396.90	†B	315.00	283.50	T	563.00	506.70	F	437.00	393.30	J	585.00	526.50	C	459.00	413.10	<table border="1"> <thead> <tr> <th>model component</th> <th>1-4*</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>†1</td> <td>84.00</td> <td>75.60</td> </tr> <tr> <td>†2</td> <td>108.00</td> <td>97.20</td> </tr> <tr> <td>†3</td> <td>130.00</td> <td>117.00</td> </tr> </tbody> </table> <p>†For dual and multiple viewing models, add the appropriate number of eyepiece pairs to match number of heads.</p>	model component	1-4*	5 or more	†1	84.00	75.60	†2	108.00	97.20	†3	130.00	117.00	<table border="1"> <thead> <tr> <th>model component</th> <th>1-4*</th> <th>5 or more</th> </tr> </thead> <tbody> <tr> <td>H</td> <td>232.00</td> <td>208.80</td> </tr> </tbody> </table>	model component	1-4*	5 or more	H	232.00
model component	1-4*	5 or more																																							
†S	441.00	396.90																																							
†B	315.00	283.50																																							
T	563.00	506.70																																							
F	437.00	393.30																																							
J	585.00	526.50																																							
C	459.00	413.10																																							
model component	1-4*	5 or more																																							
†1	84.00	75.60																																							
†2	108.00	97.20																																							
†3	130.00	117.00																																							
model component	1-4*	5 or more																																							
H	232.00	208.80																																							

*Suggested List Price

Plano Objectives

Planachromats

catalog no.	description	Suggested List Price	
		1-4	5 or more
31-12-19	10X l.w.d. 0.25 NA	108.00	97.20
31-12-20	2.5X 0.06 NA	106.00	95.40
31-12-21	4X 0.09 NA	55.00	49.50
31-12-22	10X 0.25 NA	60.00	54.00
31-12-23	20X 0.50 NA	93.00	83.70
31-12-24	40X 0.65 NA	98.00	88.20
31-12-25	50X 0.85 NA	162.00	145.80
31-12-26-02	100X Oil 1.25 NA	168.00	151.20



31-12-19 31-12-25 31-12-23



31-12-20 31-12-21 31-12-22 31-12-24 31-12-26

Planapochromats

31-11-50	7.5X 0.20 NA	240.00	216.00
31-11-51	12.5X 0.30 NA	283.00	254.70
31-11-52	25X 0.65 NA	423.00	380.70



31-11-50 31-11-51 31-11-52

Plano Phase Contrast


31-12-40	10X 0.25 NA	116.00	104.40
31-12-41	20X 0.50 NA	184.00	165.60
31-12-42	40X 0.65 NA	184.00	165.60
31-12-43-02	100X 1.25 NA	286.00	257.40



31-12-40 31-12-41 31-12-42 31-12-43

Nosepiece and Objective Assembly


31-18-66-02	10X, 40X, 100X All Bright Field	376.00	338.40
31-18-66-12	10X, 40X, 100X All Phase Contrast	636.00	572.40
31-18-66-13	10X B.F., 40X Ph., 100X B.F.	462.00	415.80
31-18-67-03	4X, 10X, 40X, 100X All Bright Field	444.00	399.60
31-18-67-04	2.5X, 10X, 40X, 100X All Bright Field	495.00	445.50
31-18-67-09	4X, 10X L.W.D., 40X, 100X All Bright Field	492.00	442.80
31-18-67-14	10X, 20X, 40X, 100X All Phase Contrast	833.00	749.70
31-18-67-15	4X B.F., 10X B.F., 40X Ph., 100X B.F.	530.00	477.00
31-18-67-16	10X B.F., 20X Ph., 40X Ph., 100X B.F.	659.00	593.10
31-18-68-05	2.5X, 4X, 10X, 40X, 100X All Bright Field	570.00	513.00
31-18-68-07	2.5X, 10X, 20X, 40X, 100X All Bright Field	608.00	547.20
31-18-68-08	4X, 10X, 20X, 40X, 100X All Bright Field	557.00	501.30
31-18-68-17	4X B.F., 10X Ph., 20X Ph., 40X Ph., 100X Ph.	908.00	817.20



31-18-66-02



31-18-67-03



31-18-68-05

Nosepieces

31-18-65	Double	39.00	35.10
31-18-66	Triple	50.00	45.00
31-18-67	Quadruple	63.00	56.20
31-18-68	Quintuple	83.00	74.70
31-18-71	Adapter for reversing 31-18-68 Nosepiece	14.00	12.60



31-18-71

Eyepieces

Wide Field

catalog no.	description	Suggested List Price	
		1-4	5 or more
31-15-61 10X	single	42.00	37.80
31-15-61-02 10X	paired	84.00	75.60
31-15-62 15X	single	54.00	48.60
31-15-62-02 15X	paired	108.00	97.20
31-15-61-03 10X	paired with 31-16-76 Porton Reticle installed	130.00	117.00



31-15-61



31-15-62

Huygenian

31-15-08 5X	single	20.00	18.00
31-15-08-02 5X	paired	40.00	36.00
31-15-09 10X	single	20.00	18.00
31-15-09-02 10X	paired	40.00	36.00

Eyeguards

31-50-20	Eyeguard for 31-15-61 (single)	1.00	.90
31-50-06	Eyeguard for 31-15-62 (single)	1.00	.90



31-50-20

Measuring & Counting Accessories

For Wide Field Eyepieces

31-16-69	Micro Disc—Read .001"	16.00	14.40
31-16-71	Whipple Disc	30.00	27.00
31-16-72	Howard Disc	30.00	27.00
31-16-73	Milk Smear Disc	29.00	26.10
31-16-76	Porton Reticle	43.00	38.70



31-16-69




31-16-71



31-16-72



31-16-73



31-16-76

For Huygenian Eyepieces


31-16-01	Micro Disc 5mm ruled to 0.05mm	13.00	11.00
31-16-02	Micro Disc 10mm ruled to 0.1mm	15.00	13.50
31-16-03	Micro Disc 0.001 inches, 100X	25.00	22.50
31-16-05	Micro Disc 5mm ruled to 0.1mm	12.00	10.80
31-16-09	Micro Measuring Disc	1.00	.90
31-16-11	Micro Disc ruled to .5mm sq.	25.00	22.50
31-16-12	Micro Disc 7mm Sq rule to 1.0mm sq.	25.00	22.50
31-16-13	Whipple Disc	28.00	25.20
31-16-15	Howard Disc	28.00	25.20
31-16-21	Reticulocyte Counting Disc	14.00	12.60
31-16-30	Cross Line Disc, 21mm diam.	15.00	13.50
31-16-32	Micro Disc, 300—.002 in. div.	25.00	22.50
31-16-40	Micro Disc, .150—.001 in. div.	25.00	22.50
31-16-45	Micro Disc, .4" sq. div. in 64 sq.	25.00	22.50
31-16-46	Protractor Disc, 360 degrees	27.00	24.30
31-16-47	Micro Disc, Metric, Eng., Protractor	27.00	24.30
31-16-50	Filar Eyepiece 12.5X w/o case	254.00	228.60
31-16-50-01	Filar Eyepiece w/case	263.00	236.70
31-16-57	Eyepiece Pointer	1.00	.90
31-16-87	Stage Micrometer ruled to 0.005 in.	28.00	25.20
31-16-89	Stage Micrometer ruled to 0.001 in.	37.00	33.30
31-16-90	Stage Micrometer, 0.1mm and 0.01mm	37.00	33.30
31-16-99	Precision Stage Micrometer .01mm	167.00	150.30




31-16-05



31-16-09




31-16-13



31-16-15




31-16-21



31-16-50

Heads

catalog no.	description	Suggested List Price	
		1-4	5 or more
31-18-75	Monocular 30°	300.00	270.00
31-18-77	Binocular 30°	546.00	491.40
31-18-79	Triocular 30°	630.00	567.00
31-18-91	Binocular 45°	546.00	491.40



31-18-75



31-18-77




31-18-79



31-18-91

Multiple Viewing Adapter


31-18-85	Multiple Viewing Adapter w/Unileg	718.00	646.20
31-18-84	Multiple Viewing Adapter w/o Pointer, w/Unileg	653.00	587.70
31-32-98	Wire Harness	9.00	8.20
31-18-85-164	Unileg	37.40	37.40



31-18-85

Dual Viewing Adapter

31-18-93	Dual Viewing Adapter	338.00	304.20
31-18-83	Dual Viewing Adapter w/o Pointer	273.00	245.30
31-32-98	Wire Harness	9.00	8.10
31-18-93-02	Dual viewing Adapter Kit	977.00	879.30
Consisting of:			
31-18-93	Dual View Adapter		
31-18-91	45° Binoc Head		
31-15-61-02	Pair 10X W.F. Eyepieces		
31-32-98	Wire Harness		



31-18-93

*When ordered separately, a 31-32-98 Wire Harness is required.

Stages

31-60-11	Plain Stage for Spiral Focus Substage	66.00	59.40
31-60-12	Plain Stage w/Rack & Pinion Substage	129.00	116.10
31-60-13	Attachable graduated stage	158.00	142.20
31-60-14	Attachable ungraduated stage	134.00	120.60
31-60-17	Right Hand graduated mech. stage	287.00	258.30
31-60-18	Right Hand ungraduated mech. stage	246.00	221.40
31-60-15	Left Hand graduated mech. stage	287.00	258.30
31-60-16	Left Hand ungraduated mech. stage	246.00	221.40
31-60-19	Glide stage	157.20	141.30
31-60-08	Stage Finger Assy (R.H.)	31.00	27.90
31-60-06	Stage Finger Assy (L.H.)	31.00	27.90




31-60-11




31-60-12




31-60-13



31-60-17



31-60-16



31-60-19

Condensers

Bright Field

catalog no.	description	Suggested List Price	
		1-4	5 or more
31-55-11	Abbe condenser—with iris diaphragm in spiral focus mount	76.00	68.40
31-55-12	Abbe condenser with iris diaphragm	68.00	61.20
31-55-13	Aplanatic condenser with iris diaphragm	68.00	61.20
31-55-14	Flip-in auxiliary lens for 31-55-12 & 31-55-13	22.00	19.80
31-55-15	Abbe condenser with flip-out hemispheric lens	106.00	95.40




31-55-14



31-55-12



31-55-13



31-55-15

Dark Field

31-55-33	Paraboloid	139.00	125.00
31-55-33-01	Paraboloid w/funnel stop	145.00	130.50
31-55-34	Cardioid	226.00	203.40
31-55-34-01	Cardioid w/funnel stop	232.00	208.80
31-51-71	Funnel Stop for 31-12-26 Objective	6.00	5.40



31-55-33



31-55-34

Phase Contrast

31-55-31	Turret Condenser	348.00	313.20
31-55-32	LWD Condenser	226.00	203.40



31-55-31



31-55-32

Illuminators

31-32-12	Balplan Optilume	30.00	27.00
31-32-13	Professional Optilume	99.00	89.10
31-32-14	Hi Intensity Base Illuminator	232.00	208.80
31-50-66	Plano Mirror & Mount	41.00	36.90
31-50-67	Plano 1st Surface Mirror & Mount	52.00	46.80
31-01-51	Plain Base	27.00	24.30



31-32-12



31-32-13



31-32-14



31-50-66

Replacement Lamps

31-31-15	15W Lamp for Optilume	.90	.90
31-31-42	6.5V Lamp for High Intensity Illum	5.00	5.00
31-31-43	6.5V Lamp (Box of 5) for Hi Intensity Illum.	24.00	24.00
31-31-50	6.5V Lamp for illuminated pointer	2.00	2.00
31-31-85	6.5V for Professional Optilume	3.75	3.75
31-31-86	6.5V for Professional Optilume (Box of 10)	35.00	35.00

Camera Accessories

catalog no.	description	Suggested List Price	
		1-4	5 or more
42-12-37-15	3 1/4 x 4 1/4 Camera Kit	469.00	422.10
42-12-28-15	4x5 Camera Kit	360.00	324.00
42-12-29-15	35mm Camera Kit	333.00	299.70
31-18-81	Focusable Triocular Tube	56.00	50.40
31-18-82	Non-focusable Triocular Tube	23.00	20.70
42-12-15	Balplan Focusing Tube w/shutter	198.00	178.20
31-35-86	Color Balancing Filter "D" (Daylight)	35.00	31.50
31-35-87	Color Balancing Filter "T" (Tungsten)	14.00	12.60
42-12-02	10X Wide Field Viewfinder Eyepiece	79.00	71.10
31-16-49	Viewfinder Reticle	15.00	13.50
42-12-31	Mirror Attachment for 4"x5" Camera	76.00	68.40
42-12-33	Optional Ground Glass Viewing Screen	33.00	29.70
42-12-28-105	Standard Ground Glass Viewing Screen	14.00	12.60
42-12-40-02	Exposure Meter	203.00	182.70
42-12-20-02	Viewing Screen, Optics Tube and Slip Adapter	242.00	217.80
42-12-21-22	Optics Tube and Slip Adapter for use with Viewing Screen	77.00	69.30
42-12-22	Slip Adapter only	6.00	5.40
42-16-20	Polaroid #545 Film Holder for 4x5 Back	85.00	85.00



42-12-37-15




42-12-28-15



42-12-29-15



42-12-15



31-18-81

31-18-82



42-12-20-02



42-12-40-02



42-12-31

Phase Contrast Accessories

31-55-32	Long Working Distance Condenser	226.00	203.40
31-58-63	10X LWD Phase Annulus	22.00	19.80
31-58-64	20X LWD Phase Annulus	22.00	19.80
31-58-65	40X LWD Phase Annulus	22.00	19.80
31-58-66	100X LWD Phase Annulus	22.00	19.80
31-55-31	Turret condenser w/four annuli and one open aperture	348.00	313.20
31-55-31-14	Phase Contrast Kit, consisting of: (1) 31-55-31 Turret Condenser (1) 31-18-67-14 Obj/Nspce Assy (1) 31-50-78 Telescope (1) 31-40-84 Case (1) 31-35-61 Filter	1326.00	1193.40
31-57-85	Bertrand Lens	202.00	181.80
31-50-78	Focusing Telescope	70.00	63.00
31-40-84	Phase Accessory Case	56.00	50.40
31-55-24	Flip-in Lens to fill field of 4X bright field objective when using 31-55-31 condenser	22.00	19.80
31-35-61	Green Filter	13.00	11.70



31-55-32



31-58-66

31-58-65

31-58-64


31-58-63



31-50-78




31-55-31



31-57-85

Polarized Light Accessories


catalog no.	description	Suggested List Price	
		1-4	5 or more
31-57-77	Polarizer	55.00	49.50
31-57-84	Eyecap Analyzer	44.00	39.60
31-57-86	Non-rotatable Analyzer (Requires 31-57-92)	69.00	62.10
31-57-92	Slide Attachment	57.00	51.30



31-57-77



31-57-84



31-57-92

31-57-86

Filters

31-35-86	Color Balancing Filter "D"	35.00	31.50
31-35-87	Color Balancing Filter "T"	14.00	12.60
42-14-98	2" diameter Didymium filter	16.00	14.40
31-34-73	2" diam. 0.7 Neutral Density filter	9.00	8.10
31-34-74	2" diam. 1.0 Neutral Density filter	9.00	8.10
31-34-75	2" diam. 1.3 Neutral Density filter	9.00	8.10
31-34-30	2" square 0.3 N.D. filter	13.00	11.70
31-34-31	2" square 0.6 N.D. filter	13.00	11.70
31-34-32	2" square 1.2 N.D. filter	13.00	11.70
31-34-35	2" square 0.9 N.D. filter	13.00	11.70
31-34-37	2" square Daylight blue	4.00	3.60
31-34-70	Light blue filter, 2" diam.	9.00	8.10
31-35-17	Diffuser, 2" diameter	3.00	2.70
31-35-61	Green filter 2" diameter	13.00	11.70
42-47-55	Blue Interference 450nm	36.00	32.40
42-47-56	Blue-Green Inter 500nm	30.00	27.00
42-47-57	Green Interference 550nm	36.00	32.40
42-47-58	Orange Interference 600nm	30.00	27.00
42-47-59	Red Interference 650nm	30.00	27.00

Miscellaneous

31-18-92	1" spacer	38.00	34.20
31-40-93	Carrying Case	80.00	72.00
31-32-98	Wire Harness for Dual Viewing Adapter	9.00	8.10
31-49-62	Dust Cover for Dual Viewing Models	1.00	.90
31-49-63	Dust Cover for Biological Models	1.00	.90
31-01-52	Neoprene Foot (single)	1.00	.90
31-01-53	Bottom Cover	7.00	6.30
31-01-54	Arm plug	3.00	2.70
31-50-98	Immersion Oil, Low Viscosity	3.00	2.70



31-40-93



31-18-92

Recommended Models

Brightfield

Recommended Models	Suggested List Price	
	1-4	5 or more
Pathology		
BRT3Z1H	1942.00	1747.80
BRT5N1H	2084.00	1875.60
BRT7N1H	2122.00	1909.80
BRD5N1H	2968.00	2671.20
BRD7N1H	3006.00	2705.40
BRA7N1H	3090.00	2781.00
BRC7N1H	3386.00	3047.40
BRS7N1H	3470.00	3123.00
Bacteriology		
BRB2M1L	1566.00	1409.40
BRB2M1P	1635.00	1471.50
BRB3Z1P	1725.00	1552.50
BRB3Z1H	1858.00	1672.20
Hematology		
BRB2M1P	1635.00	1471.50
BRB2M1H	1768.00	1591.20
Research		
BST5N1H	2125.00	1912.50
BST8Z1H	2096.00	1886.40
Education		
BRB3Z1P	1725.00	1552.50
Cytology		
BRB9Z1H	1906.00	1715.40
BRB9Z1P	1773.00	1595.70
General Laboratory		
BRT3Z1H	1942.00	1747.80
BRB2M1L	1566.00	1409.40
BRB2M1P	1635.00	1471.50
BRB3Z1P	1725.00	1552.50
BRB3Z1H	1858.00	1672.20

Multiple Viewing Brightfield

Model	Suggested List Price		
	1-4	5 or more	
Pathology/Hematology			
5 Heads	BR53Z1H	6379.00	5741.10
4 Heads	BR43Z1H	5476.00	4928.40
3 Heads	BR33Z1H	4573.00	4115.70
3 Heads	BRE3Z1H	4109.00	3698.10
2 Heads	BRS3Z1H	3290.00	2961.00
Education and General Laboratory			
5 Heads	BR52M1H	6289.00	5660.10
4 Heads	BR42M1H	5386.00	4847.40
3 Heads	BR32M1H	4483.00	4034.70
3 Heads	BRE2M1H	4019.00	3617.10
2 Heads	BRS2M1H	3200.00	2880.00
Research			
5 Heads	BS57N1H	6600.00	5940.00
4 Heads	BS47N1H	5697.00	5127.30
3 Heads	BS37N1H	4794.00	4314.60
3 Heads	BSE7N1H	4330.00	3897.00
2 Heads	BSS7N1H	3511.00	3159.90

Phase Contrast

Recommended Models	Suggested List Price	
	1-4	5 or more
Hematology/Pathology		
CRBHB1H	2123.00	1910.70
CRBGS1H	2467.00	2220.30
Education		
CRBKT1H	2720.00	2448.00
CRBPJ1H	2817.00	2535.30
Research		
CRTPJ1H	2901.00	2610.90
General Laboratory		
CRBKT1H	2720.00	2448.00
Asbestos Counting		
CRBLB3H	2237.00	2013.30

Multiple Viewing Phase Contrast

Model	Suggested List Price		
	1-4	5 or more	
Pathology/Hematology			
3 Heads	CR3HB1H	4838.00	4354.20
3 Heads	CREHB1H	4374.00	3936.60
2 Heads	CRCHB1H	3471.00	3123.90
2 Heads	CRSHB1H	3555.00	3199.50
Education and General Laboratory			
3 Heads	CR3KT1H	5435.00	4891.50
3 Heads	CREKT1H	4971.00	4473.90
2 Heads	CRCKT1H	4068.00	3661.20
2 Heads	CRSKT1H	4152.00	3736.80
Research			
3 Heads	CS3PJ1H	5573.00	5015.70
3 Heads	CSEPJ1H	5109.00	4598.10
2 Heads	CSCPJ1H	4206.00	3785.40
2 Heads	CSSPJ1H	4290.00	3861.00



BAUSCH & LOMB

Scientific Optical Products Division

14750 ZION ROAD, RICHMOND, VA 23234

TEL: 804/271-2000 FAX: 804/271-2001

